

# United States Department of Agriculture Animal and Plant Health Inspection Service

orp 2 1 2004

NFALTAS

2390 cust\_id 163603 insp\_id 10576 site\_id

# INSPECTION REPORT

JAROD MILLER

8321 ZIMMERMAN ROAD HAMBURG, NY 14075 Customer ID: 2390 Certificate: 21-C-0219

Site: 001

MILLER JAROD

Inspection

Type: ROUTINE INSPECTION

Date: AUG-30-2004

#### 2.40

### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

(b) Each dealer or exhibitor shall establish and maintain programs of adequate veterinary care that include:

There was no PVC available to be reviewed at the time of inspection. The PVC should be available at the facility for the APHIS inspector to review.

Correct by: 9/30

## 3.127 (d)

#### FACILITIES, OUTDOOR.

(d) Perimeter fence. On or after May 17, 2000, all outdoor housing facilities (i.e., facilities not entirely indoors) must be enclosed by a perimeter fence that is of sufficient height to keep animals and unauthorized persons out. Fences less than 8 feet high for potentially dangerous animals, such as, but not limited to, large felines (e.g., lions, tigers, leopards, cougars, etc.), bears, wolves, rhinoceros, and elephants, or less than 6 feet high for other animals must be approved in writing by the Administrator. The fence must be constructed so that it protects the animals in the facility by restricting animals and unauthorized persons from going through it or under it and having contact with the animals in the facility, and so that it can function as a secondary containment system for the animals in the facility. It must be of sufficient distance from the outside of the primary enclosure to prevent physical contact between animals inside the enclosure and animals or persons outside the perimeter fence. Such fences less than 3 feet in distance from the primary enclosure must be approved in writing by the Administrator. A perimeter fence is not required:

The two Servals are housed in a primary enclosure, but no perimeter fence existing around the enclosure. A permiter fence must be erected around the enclosure as per regulation above. Correct by: 9/30

Prepared By:

NASRY FALTAS, D V M, USDA, APHIS, Animal Care

Title:

Received By:

Date:

AUG-30-2004

Page 1 of 1